

DETAILED ACTION

The reply filed on 2/11/08 is not fully responsive to the prior Office Action because of the following omission(s) or matter(s):

Applicant has not adequately replied to the Obviousness Type Double Patenting Rejection of instant claims over various patents (see action dated 10/9/07). A request to hold a rejection in abeyance is not a proper response to a rejection. Rather, a request to hold a matter in abeyance may only be made in response to an OBJECTION or REQUIREMENTS AS TO FORM (see MPEP 37 CFR 1.111(b) and 714.02).

As such, the submission filed 2/11/08 is not fully responsive because it is not in compliance with 37 CFR 1.111(b), which states that "[i]n order to be entitled to reconsideration or further examination, the applicant or patent owner must reply to the Office action. The reply by the applicant or patent owner must be reduced to a writing which distinctly and specifically points out the supposed errors in the examiner's action and must reply to every ground of objection and rejection in the prior Office action. The reply must present arguments pointing out the specific distinctions believed to render the claims, including any newly presented claims, patentable over any applied references. If the reply is with respect to an application, a request may be made that objections or requirements as to form not necessary to further consideration of the claims be held in abeyance until allowable subject matter is indicated. The applicant's or patent owner's reply must appear throughout to be a bona fide attempt to advance the application or the reexamination proceeding to final action. A general allegation that the claims define a patentable invention without specifically pointing out how the language of the claims patentably distinguishes them from the references does not comply with the requirements of this section.

Art Unit: 1619

See 37 CFR 1.111. Since the above-mentioned reply appears to be *bona fide*, applicant is given **ONE (1) MONTH or THIRTY (30) DAYS** from the mailing date of this notice, whichever is longer, within which to supply the omission or correction in order to avoid abandonment. EXTENSIONS OF THIS TIME PERIOD MAY BE GRANTED UNDER 37 CFR 1.136(a).

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JYOTHSNA A. VENKAT whose telephone number is 571-272-0607. The examiner can normally be reached on Monday-Friday, 10:30-7:30:1st Friday off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, MICHAEL WOODWARD can be reached on 571-272-8373. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/JYOTHSNA A VENKAT /
Primary Examiner, Art Unit 1619

Application/Control Number: 10/699,780

Page 4

Art Unit: 1619